

1 Identification

***Product identifier**

***Trade name:** 0.1M HYROCHLORIC ACID IN PROPAN-2-OL

***Article number:** PH20101

***Application of the substance / the mixture** Laboratory chemicals

***Details of the supplier of the safety data sheet**

***Manufacturer/Supplier:**

Reagecon Diagnostics Ltd.
Shannon Free Zone,
Shannon,
Co. Clare,
Ireland.
Tel +353 61 472622
Fax +353 61 472642

***Information department:** sds@reagecon.ie

***Emergency telephone number:** EMERGENCY CONTACT NUMBER: 00-353-87-8395527

2 Hazard(s) identification

***Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

***Label elements**

***GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

***Hazard pictograms**



GHS02



GHS07

***Signal word** Danger

***Hazard-determining components of labeling:**

PROPAN-2-OL AR.

***Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

***Precautionary statements**

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Store locked up.

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/06/2015

Reviewed on 11/06/2015

Trade name: 0.1M HYDROCHLORIC ACID IN PROPAN-2-OL

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

***Classification system:**

***NFPA ratings (scale 0-4)**



Health = 1

Fire = 3

Reactivity = 0

***Other hazards**

***Results of PBT and vPvB assessment**

***PBT:** Not applicable.

***vPvB:** Not applicable.

3 Composition/information on ingredients

***Chemical characterization: Mixtures**

***Description:** Mixture of the substances listed below with nonhazardous additions.

***Dangerous components:**

| | | |
|---------|-----------------|---------|
| 67-63-0 | PROPAN-2-OL AR. | 50-100% |
|---------|-----------------|---------|

***Non- Hazardous Components**

| | |
|-----------------------|--------|
| hydrochloric acid 37% | ≤ 2.5% |
|-----------------------|--------|

***Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

***Description of first aid measures**

***After inhalation:** Supply fresh air; consult doctor in case of complaints.

***After skin contact:** Generally the product does not irritate the skin.

***After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

***After swallowing:** Do not induce vomiting; immediately call for medical help.

***Information for doctor:**

***Most important symptoms and effects, both acute and delayed** No further relevant information available.

***Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

***Extinguishing media**

***Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

***Special hazards arising from the substance or mixture** No further relevant information available.

***Advice for firefighters**

***Protective equipment:** No special measures required.

6 Accidental release measures

***Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/06/2015

Reviewed on 11/06/2015

Trade name: 0.1M HYROCHLORIC ACID IN PROPAN-2-OL

(Contd. of page 2)

***Environmental precautions:**

Prevent seepage into sewage system, workpits and cellars.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.

***Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.

***Reference to other sections**

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling:**Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

***Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities**Storage:**

***Requirements to be met by storerooms and receptacles:** Store in a cool location.

***Information about storage in one common storage facility:** Not required.

***Further information about storage conditions:**

Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.

***Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

***Additional information about design of technical systems:** No further data; see item 7.

Control parameters**Components with limit values that require monitoring at the workplace:****67-63-0 PROPAN-2-OL AR.**

| | |
|-----|--|
| PEL | Long-term value: 980 mg/m ³ , 400 ppm |
| REL | Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm |
| TLV | Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm |
| BEI | |

Ingredients with biological limit values:*67-63-0 PROPAN-2-OL AR.**

| | |
|-----|---|
| BEI | 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) |
|-----|---|

***Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/06/2015

Reviewed on 11/06/2015

Trade name: 0.1M HYDROCHLORIC ACID IN PROPAN-2-OL

(Contd. of page 3)

Exposure controls**Personal protective equipment:*****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

***Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Suitable respiratory protective device recommended.

***Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

***Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

***Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

***Eye protection:**

Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties**General Information*****Appearance:**

| | |
|--------------------------|------------------------------------|
| Form: | Fluid |
| Color: | According to product specification |
| *Odor: | Characteristic |
| *Odour threshold: | Not determined. |

***pH-value:** Not determined.

***Change in condition**

| | |
|-------------------------------------|----------------|
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 82 °C (180 °F) |

***Flash point:** 13 °C (55 °F)

***Flammability (solid, gaseous):** Not applicable.

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/06/2015

Reviewed on 11/06/2015

Trade name: 0.1M HYDROCHLORIC ACID IN PROPAN-2-OL

(Contd. of page 4)

| | |
|--|--|
| *Ignition temperature: | 425 °C (797 °F) |
| *Decomposition temperature: | Not determined. |
| *Auto igniting: | Product is not selfigniting. |
| *Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| *Explosion limits: | |
| Lower: | 2.0 Vol % |
| Upper: | 12.0 Vol % |
| *Vapor pressure at 20 °C (68 °F): | 43 hPa (32 mm Hg) |
| *Density at 20 °C (68 °F): | 0.78729 g/cm ³ (6.57 lbs/gal) |
| *Relative density | Not determined. |
| *Vapour density | Not determined. |
| *Evaporation rate | Not determined. |
| *Solubility in / Miscibility with Water: | Fully miscible. |
| *Partition coefficient (n-octanol/water): | Not determined. |
| *Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| *Solvent content: | |
| Organic solvents: | 99.2 % |
| *Other information | No further relevant information available. |

10 Stability and reactivity

- *Reactivity** No further relevant information available.
- *Chemical stability**
- *Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- *Possibility of hazardous reactions** No dangerous reactions known.
- *Conditions to avoid** No further relevant information available.
- *Incompatible materials:** No further relevant information available.
- *Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- *Information on toxicological effects**
- *Acute toxicity:**
- *Primary irritant effect:**
- *on the skin:** No irritant effect.
- *on the eye:** Irritating effect.
- *Sensitization:** No sensitizing effects known.
- *Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/06/2015

Reviewed on 11/06/2015

Trade name: 0.1M HYDROCHLORIC ACID IN PROPAN-2-OL

(Contd. of page 5)

***Carcinogenic categories**

***IARC (International Agency for Research on Cancer)**

67-63-0 PROPAN-2-OL AR.

3

***NTP (National Toxicology Program)**

None of the ingredients is listed.

***OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

***Toxicity**

***Aquatic toxicity:** No further relevant information available.

***Persistence and degradability** No further relevant information available.

***Behavior in environmental systems:**

***Bioaccumulative potential** No further relevant information available.

***Mobility in soil** No further relevant information available.

***Additional ecological information:**

***General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

***Results of PBT and vPvB assessment**

***PBT:** Not applicable.

***vPvB:** Not applicable.

***Other adverse effects** No further relevant information available.

13 Disposal considerations

***Waste treatment methods**

***Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

***Uncleaned packagings:**

***Recommendation:** Disposal must be made according to official regulations.

***Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

***UN-Number**

***DOT, ADR, IMDG, IATA**

UN1993

***UN proper shipping name**

***DOT, IMDG, IATA**

FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))

***ADR**

1993 FLAMMABLE LIQUID, N.O.S., special provision 640D (ISOPROPANOL (ISOPROPYL ALCOHOL))

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/06/2015

Reviewed on 11/06/2015

Trade name: 0.1M HYROCHLORIC ACID IN PROPAN-2-OL

(Contd. of page 6)

*Transport hazard class(es)

*DOT



*Class 3 Flammable liquids

*Label 3

*ADR, IMDG, IATA



*Class 3 Flammable liquids

*Label 3

*Packing group

*DOT, ADR, IMDG, IATA II

*Environmental hazards:

*Marine pollutant: No

*Special precautions for user Warning: Flammable liquids

*Danger code (Kemler): 33

*EMS Number: F-E,S-E

*Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code Not applicable.*UN "Model Regulation": UN 1993 FLAMMABLE LIQUIDS, N.O.S., SPECIAL PROVISION
640D (ISOPROPANOL), 3, II, (D/E)

15 Regulatory information

*Safety, health and environmental regulations/legislation specific for the substance or mixture

*SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

*SARA Section 313 (specific toxic chemical listings)

67-63-0 PROPAN-2-OL AR.

*TSCA (Toxic Substances Control Act)

67-63-0 PROPAN-2-OL AR.

*Prop 65 - Chemicals known to cause cancer

None of the ingredients is listed.

*Carcinogenicity categories

*EPA (Environmental Protection Agency)

None of the ingredients is listed.

*TLV (Threshold Limit Value established by ACGIH)

67-63-0 PROPAN-2-OL AR.

A4

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/06/2015

Reviewed on 11/06/2015

Trade name: 0.1M HYDROCHLORIC ACID IN PROPAN-2-OL

(Contd. of page 7)

***MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

***NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

***GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

***Hazard pictograms**



GHS02 GHS07

***Signal word** *Danger*

***Hazard-determining components of labeling:**

PROPAN-2-OL AR.

***Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

***Precautionary statements**

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

***National regulations:**

***Technical instructions (air):**

| Class | Share in % |
|-------|------------|
| NK | 99.2 |

***Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

***Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

***Department issuing SDS:** Health and Safety

***Contact:** sds@reagecon.ie

***Date of preparation / last revision** 11/06/2015 / 4

***Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/06/2015

Reviewed on 11/06/2015

Trade name: 0.1M HYROCHLORIC ACID IN PROPAN-2-OL

(Contd. of page 8)

*NFPA: National Fire Protection Association (USA)**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Flam. Liq. 2: Flammable liquids, Hazard Category 2**Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A**STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3*

US